

To: Courtnage, Robert[Courtnage.Robert@EPA.GOV]
From: Brigitte Bartko
Sent: Wed 4/19/2017 1:08:01 PM
Subject: RE: EPA TSCA Import/Uses of Asbestos

Robert –

Sorry I missed your call but I received the voicemail. Our company had discussions previously about CBI. I resubmitted the entry for our Headquarters (which is the Importer of Record and reported all imports for Axiall). I should have properly documented any and all CBI when I resubmitted for Form U.

Please let me know if there are any other issues.

Thanks!

Brigitte

From: Brigitte Bartko
Sent: Wednesday, April 19, 2017 8:07 AM
To: Courtnage.Robert@EPA.GOV
Cc: Hillary Garner <HILLARY.GARNER@axiall.com>; Blaine Ayres <Blaine.Ayres@axiall.com>
Subject: RE: EPA TSCA Import/Uses of Asbestos

Good morning Robert –

As per our conversation yesterday I have updated Axiall's CDR information in the CDX system to reflect the correct asbestos import quantities I received from our Trade Compliance group. Should I also pass this information along to Jeffery Taylor?

For 2015 the import quantities are now listed as 152,000 lbs. The 2013 import quantities did not change.

Thank you for bringing this to my attention. Please let me know if you need any other info.

Best,

Brigette

From: Blaine Ayres
Sent: Friday, April 07, 2017 11:37 AM
To: Courtnage.Robert@EPA.GOV
Cc: Brigitte Bartko <Brigette.Bartko@axiall.com>; Hillary Garner <HILLARY.GARNER@axiall.com>
Subject: EPA TSCA Import/Uses of Asbestos

Good Morning Mr. Courtnage,

I wanted to touch base with you regarding the importation and uses of asbestos at Axiall. Your information and questions were passed on from Brigitte Bartko from our Product Stewardship Group.

We do import and use asbestos on our site for the production of diaphragms in our chlor-alkali facility here in Plaquemine. We would be happy to answer your questions, by we are currently in a Health and Safety Audit that will wrap up today. Hillary Garner, HSE Manager, and/or myself will be available early next week, if we can set up a phone conversation.

Please let me know when would be a good time.

Thank you,


Blaine

Blaine K. Ayres, CIH | HSE Supervisor, Industrial Hygiene

blaine.ayres@axiall.com | Office: 225-685-2044 | Cell: 225-933-2887

Axiall, a Westlake company

26100 Hwy 405 South, Plaquemine, Louisiana 70764 | www.axiall.com



The information transmitted, including any attachments, is intended only for the person or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon, this information by persons or entities other than the intended recipient is prohibited, and all liability arising therefrom is disclaimed. If you received this in error, please contact the sender and delete the material from any computer.